


NEW TRASDATA : PLUGIN 128,267

On this ECU it is possible ONLY the DIRECT connection. It is not possible to use the DIMA connection because the 3 required programming pads are missing.

1)MED17.5



2)MED17.5.5

ECU CONNECTOR

In order to connect to the ECU use the CABLE F32GN037C.

Make sure that the POWER led (red) on NEW TRASDATA is ON.

COLORE FILO WIRE COLOUR	DESCRIZIONE DESCRIPTION
ROSSO RED	POSITIVO DIRETTO POWER BATTERY
ARANCIO ORANGE	POSITIVO SOTTO QUADRO POWER SWITCH ON
NERO BLACK	MASSA GND
GIALLO YELLOW	KLINE
VERDE GREEN	CAN LOW
BIANCO WHITE	CAN HIGH
GRIGIO GREY	POL4 BOOT
BLU BLUE	POL5 CNF1
VIOLA/GRIGIO PURPLE/GREY	TENSIONE PROG. PROG. VOLTAGE
MARRONE BROWN	RESET




To the 3 power feeding pins 5,87,92 you can connect both wires red and orange, they both have 12 Volt signal.

DIRECT CONNECTION**BOOT/POL4 CONNECTION**

Connect the GREY wire of the cable F32GN037C as described here below :

COLORE FILO WIRE COLOUR	DESCRIZIONE DESCRIPTION
GRIGIO GREY	POL4 BOOT

1)MED17.5

2)MED17.5.5